

 **Flaminal**[®]

A different dimension of wound care.



Flaminal[®] Hydro & **Flaminal**[®] Forte

Flaminal®: A different dimension of wound care.

Intelligent wound care is versatile.

Supports fast wound healing by creating favourable conditions.

Flaminal® is a primary wound dressing with three main components that aid wound healing, avoiding the use of multiple products^{1,2,3}

- ▶ Absorbent alginate
- ▶ Debriding gel
- ▶ Antimicrobial enzyme system



The demands of wound healing in one solution.

The comprehensive wound care treatment.

Flaminal® addresses all the barriers to wound healing⁹



Continuous autolytic debridement^{2,3}



Antimicrobial protection^{4,5}



Moist wound healing & absorption of excess exudate²



Safe for skin & wound tissue and protection of wound edges¹



Safe for healthy skin cells⁵

For a variety of wound types.

Due to its unique composition.

Partial Thickness Burns



Leg Ulcers



Diabetic Foot Ulcers



Pressure Ulcers



Cavity Wounds



The unique formulation of Flaminal® enables comprehensive wound care for various types of wounds across all wound phases^{3,6}.

For all age groups.

Application with peace of mind.



Safe application for all age groups when Flaminal® is used as a wound dressing. There are no pharmacological, metabolic or immunological effects taking place in the patient's body^{7,8}.

With a spatula



With a nozzle



With a syringe



Tailor made application.

User friendly wound treatment.

Directly onto the dressing



Directly from the tube




Flaminal® is easy to apply for both the patient & health care professional making it ideal for self/shared care. ◀

Suitable to apply for a variety of wound shape or size. ◀

Ideal for difficult to dress areas. ◀

Supporting the body's natural wound healing response.

No cytotoxic effects.



The enzyme system in Flaminal® is non-cytotoxic to keratinocytes and fibroblasts, comparable to water control⁵. Any absorbed bacteria is killed within the gel matrix^{2,5} and therefore safe for healing skin.

Helping you work towards your sustainability goals.






Improving social value.



Flaminal® cares for your patients and community. ◀

Once opened and if recapped, a tube of Flaminal® can be used for 12 months¹. ◀

With Flaminal® there is no primary dressing to dispose of. ◀




Flaminal® - two formulations to manage exudate levels effectively.

Highly exuding wounds

STEP UP

to Forte when the wound exudate levels increase



STEP DOWN

to Hydro when the wound exudate levels decrease



Slightly exuding wounds

Flaminal® Forte Higher Alginate Content

For moderately to highly exuding wounds



Flaminal® Hydro Lower Alginate Content

For slightly to moderately exuding wounds



| REF | Description | UOM |
|------|---------------------|------|
| 1021 | Flaminal Hydro 50g | Each |
| 1010 | Flaminal Hydro 500g | Each |
| 1015 | Flaminal Forte 50g | Each |
| 1016 | Flaminal Forte 500g | Each |

Flaminal® should only be used under the supervision of a healthcare professional
If you are concerned about your wound, consult a healthcare professional

References

- White, R. The alginate Flaminal: an overview of the evidence and use in clinical practice. Wounds UK. Vol 10. No 3. 2014. . 2. Flenhealth.co.uk. 2021. Instruction For Use. [online] Available at: <https://www.flenhealth.co.uk/products/instruction-of-use>
3. Durante, C: An open-label, non-comparative case series on the efficacy of an enzyme alginate. J Wound Care 2012, 21(1), 22 - 28.
4. Cooper RA (2013) Inhibition of biofilms by glucose oxidase, lactoperoxidase and guaiacol: the active antibacterial component in an enzyme alginate. Int Wound J 10(6): 630-7.
5. De Smet, K. et al. Pre-clinical evaluation of a new antimicrobial enzyme for the control of wound bioburden. Wounds. 2009, 21(3): 65-73.
6. Beele, H. et al.: Expert consensus on a new enzyme alginate. Wounds International 2012,3(2), 42 - 50.
7. M. Storck, M. Augustin, A. Pollandt, B. Sträter Alginate in der Wundtherapie: Eigenschaften und Verordnungsfähigkeit WUNDmanagement | 16. Jahrgang | 4/2022.
8. Flen Health GmbH: Flaminal®-Bradford-Assay zum Verbleib von gebundenen Proteinbestandteilen in wässrigen Lösungen(2021); Data on file .
9. Jones, J & Oates, D, TIME to assess wounds- a clinical evaluation of Flaminal. Wounds UK. Vol 14. No 3. 2018 63-69

A different dimension of wound care.



Sentry Medical Pty Ltd
22 Peter Brock Drive, Eastern Creek, NSW 2766
1300 995 999 | sales@sentrymedical.com.au
www.sentrymedical.com.au

